

PED NEW MEMBER HEALTH SURVEY

Child's Name		Sex		_// Age
Parent's Name		Parent Profes	sion:	
Address		City	State	zip
E-mail	@	.com Phone	e	
Sibling's Name & Age(s)				
How did you find our office?				

Your genes are not your destiny; your environment determines what genes are turned on and how they express. Your biography becomes your biology.

We are going to ask you a variety of questions that give us more information about your child's past and present experiences. These experiences affect your child's physiology and directly affect their physical, mental, emotional and spiritual wellbeing. These experiences fall into three categories; physical (trauma), mental/emotional/spiritual (thoughts) and chemical (toxins). If this experience was too much for your system to handle it locks down as a tonal shift (tension) which can lead to a variety of symptoms. Please fill the form out to the best of your ability. Your health survey is a key to the puzzle. No detail is too small.

CHILDS HISTORY - Your story starts with your conception, gestation and most importantly, your birth. The birth process can be very stressful on mom but also on baby.

Was this birth planned? I Y I N Were fertility measures taken?

Did mom use any of the following during pregnancy: D Tobacco D Alcohol D Medications _____ Drugs

Did any occur during pregnancy: D Falls or Injuries D Abuse (physical, sexual, emotional) D Complications

Please describe your stress level during this pregnancy ____

CHILD'S BIRTH HISTORY

Where did you give birth:		Provider:		
At What Week of Pregnancy Wa	as Your Baby Born?	Doula?		
Were you happy with your birth	providers? DY DN			
Baby's Position at time of Delive	ery: 🛛 Head Down 🖵 Pos	sterior 🗅 Facial 🗅 Brow	Breech	
Birthing Position: D On Back wi	th Feet up 🛛 🗅 On Side 🗉	Squatting Squatting	□ Other:	
	abor prior to natural contrac	with Assistance (Forcep ctions Acupuncture Induc esthesia Antibiotics	ed 🗅 Cytotec 🗅 Epidural	
How Long was Labor?	How long was	delivery (pushing)?		
Baby's APGAR Scores:	Any Visible In	njury to Baby? □ Y □ N		_
Did you: Do Skin to Skin 🗅 Y	□ N (how soon after)	Vaginal Swab 🛛 Y 🛛		
Delay Cord Clamping D	□ N (how long)	Uninterrupted family time	□ Y □ N (how long)	_
Was baby separated \Box Y	N (how long)	Did baby latch right away?	□ Y □ N (how long)	_
Was baby circumcised? 🗅 Y	□ N when?	Bathed D Y D N (when)		
Any evidence of trauma during	birth: 🗅 Bruises 🗅 Odd sha	ped head 🗅 stuck in birth ca	nal 🗅 fast and/or Excessively	/ long birth
Respiratory Depression Co	ord around neck 🗅 other			
Complications during birth				-
APGAR at Birth A	PGAR after 5 min	Birth Weight	Birth Length	
The birth was				

PHYSICAL STRESSORS (other)

Any Lip or Tongue Tie: Q Y Q N Who did revision & When	?
Surgery (& year performed) :	
Accidents:	
Falls:	
Sports (past & present):	
Gait: Toe Walking Bow legged Turned in Scoo	oting 🛛 Army Crawl 🗳 Hip Dysplasia 📮 Club Foot
Sensory: Sensory seeking Sensitive to Stimuli Atte	ntive to only some stimuli \Box Side preference
PSYCHOLOGICAL STRESSORS	Any problems handing?
Any difficulties with nursing? \Box Y \Box N Was your child breast fed? \Box Y \Box N How Long?	
Does your child feed: On both sides equally On Sche	
Does your child have any behavioral problems? \Box Y \Box N _	
Does your child have difficulty sleeping/ night terrors/ bed v	-
Bowel movements: X per day Consisten	
How has/was Mom's healing postpartum?	
How long is/was Maternity Leave?	Do/Did you have assistance with baby?
CHEMICAL STRESSORS- Anything inhaled, ingested or a	bsorbed
Formula: DYDN Brand: How m	nuch:
When was the introduction of food?	What were first foods?
Medications (type & reason):	
Allergies?	
Vaccine History: Full CDC Selective schedule De	layed schedule 📮 None 🛛 🗅 COVID 19
Reaction to Vaccine D Y D N (please explain)	
CURRENT HEALTH CONCERNS	
What is the reason for this reservation?	
When did this begin?	Have they had this before?
Why do you think this is occurring?	
Is there any other issue/secondary condition that you believed	ve is related to this?
Have you gotten any other advice or treatment for this issue	e? (if yes than from who and what was result)
What activities aggravate your condition?	
What activities relieve your condition?	
Is the condition worse during certain times of the day? $\ \Box$ Y	´□ N If yes, when?
Concerns with Menstrual Cycle? Y	
Does it affect: Dood, patience, attitude DSleep Dex	ercise or play 🛛 day-to-day activities 🖓 Ability to work
decision making	ship or intimacy
Have you been to a chiropractor? Q Y Q N Has your child b	peen to a chiropractor before? 🗅 Y 🗅 N
What are your healthcare goals?	

DEVELOPMENTAL MILESTONES-

Please mark whether the below milestones are/ were met.

Circle any Milestones that were delayed

Age	Milestone	Not Met	Met	Age	Milestone	Not Met	Met
1 Month	Fist Clench			8 Months	Sits Unaided		
2 Months	Smiles			1	Plays with Hands		
	Hands Open		_	1	2 Syllable word "dada"		
	Cooing			9 Months	Pulls to Stand		
3 Months	Head Control			1	Shows Joy/ Displeasure		
	Opens Mouth		_	12 Months	Crawling		
4 Months	Laughs			1	Pull to stand		
	Looks at object in hand			1	Walk with support		
5 Months	Back to Stomach			1	Finger Feeds		
6 Months	Sits Alone			15 Months	Walks Alone		
	1 Syllable word "da"			1	Says 4-5 Words		
	Reaches			i	Indicates Wants		
	Roll Over			1	Names objects		

SECONDARY CONDITIONS- Please mark any secondary condition (symptom/diagnosis) that you currently have or have had in the past.

Past	Now		Past	Now	1	
		ADD/ADHD			Hand/Wrist Concerns	
		Asthma/ Respiratory Issues			Headaches	
		Athletic Injuries			Growing Pains	
		Autism Spectrum			Learning Difficulties	
		Bed Wetting			Insomnia	
		Behavior Issues			Knee/Hip Issues	
		Bowel/Bladder Changes			Plagiocephaly	
		Broken Bone			Neck Pain	
		Cancer			Reflux	
		Colic			Scoliosis	
		Concussion/ Head Injury			Seizures	
		Dental/Jaw issues			Skin Conditions	
		Depression			Sinus Problem/ Allergies	
		Digestive Issues			Surgery	
		Dizziness/Vertigo			Tongue/ Lip Tie	
		Ear Infections			Thyroid Disorder	
		Eye/Vision Issues			Weight Changes	
		Frequent Cold/Flu			Other	
YOUR		D'S HEALTHCARE TEAM (PRIMARY CARE	, THERA	PIST	S, SPECIALISTS ECT)	
Provid	der Na	me Provider Type	Last V	/isit	Reason	Result
Patien	t Signa	ature			Date	

PEDIATRIC ASSESSMENT

L RHead tilt L RRotation L RHead Shack extension/flexion L RFoot flare in/out L RGluteal Fold L R	Name	Asmt #	Date	_//	_Age	_Cat S	core%
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Posture:						
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	L R Head tilt			L R	Rota	tion	
L RHead shape L RGluteal Fold L RRigid legs in extension Category: 1 (-2) 2 (-7) 3 (-10) Atlas- head rotate away from side of lateral atlas. (hip joint bogginess on same side of lesion → occiput on the look away side) Cervical ROM		nsion/flexio	n				
L RRigid legs in extension Category: 1 (-2) 2 (-7) 3 (-10) Atlas- head rotate away from side of lateral atlas. (hip joint bogginess on same side of lesion → occiput on the look away side) Cervical ROM Pediatric Tests: Expected Integration Acoustic blink + - Ortolani's Reduction + - Moro + - 2-4 Mo (flex & extension of limbs) Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R→> arm ex on face side) Light response + - STNR + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - + - 3 4 M Palamar + - + - 3 4 M Palamar + - + - 3 9 M Babinski + - + - 12 M Leg Length: L R 0 1/a 1/a 2/a 3/a 5 6 (3,7,10) Disconnections: (-1 per) Muscular/Ligamentous Patterns: 1 2 3 4 5 6 (3,7,10) Cranium: Occiput: L R Fontal: L R Parietal: L R Temporal: L R Sphenoid: L R Stutures: Sagittal Coronal Occipital Parietal Lambdoidal Psoas: R L Occipital Fiber: 1 2 3 4 5 6 Dollar Crest							
Category: 1 (-2) 2 (-7) 3 (-10) Atlas- head rotate away from side of lateral atlas. (hip joint bogginess on same side of lesion -> occiput on the look away side)Cervical ROMPediatric Tests:Expected IntegrationAcoustic blink+Ortolani's Reduction+Moro+2-4 Mo (flex & extension of limbs)Placing(0-6w)+Before WalkingSucking(0-4m)+0-4 mothsParachute (6m-1yr)+Absent until 6-10 moNeck righting+0-4 MATNR+2 w - 4 mLight response+STNR+5-6 m Prone= Limb flexion, supine= limb extensionPrimitive Reflexes:LRExpected IntegrationRooting++3 MPalmar++3 9 MBabinski++12 MLeg Length:LR0 $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ $\frac{5}{6}$ Caranum:LRMid ModerateSacrum:LRMid ModerateSacrum:LRParietal: LRSacrum:LRParietal: LRMuscular/Ligamentous Patterns:12345Origital Fiber: 123456Diaconnections:(-1 per)		sion			01010		
Atias- head rotate away from side of lateral atlas. (hip joint bogginess on same side of lesion → occiput on the look away side) Cervical ROM		51011					
(hip joint bogginess on same side of lesion -> occiput on the look away side)Cervical ROM	Category: 1 (-2) 2 (-7) 3 (-10)						
Cervical ROM	Atlas- head rotate away fro	om side of la	ateral atla	S.			
Pediatric Tests: Expected Integration	(hip joint bogginess on same side	e of lesion⊣	occiput	on the loo	k away	side)	
Acoustic blink + - Ortolani's Reduction + - Moro + - 2-4 Mo (flex & extension of limbs) Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R—> arm ex on face side) Light response + - Stopected Integration STNR + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - 3 4 M Palmar + - 4 M Palmar + - 4 M Palmar + - 4 M Babinski + - + - 8 M Galant + - + - 12 M Leg Length: L R Mild Moderate (0,5,7,10) Sacrum: L R Mild Moderate (3,7,10) (- Sacrum: L R Mild Moderate (3,7,10) (- - <	Cervical ROM						
Acoustic blink + - Ortolani's Reduction + - Moro + - 2-4 Mo (flex & extension of limbs) Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R—> arm ex on face side) Light response + - S-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - 3 4 M - Palmar + - + - 3 M Plantar + - + - 3 P M Babinski + - + - 12 M Leg Length: L R Mild Moderate - Sacrum: L R Mild Moderate - - Sacrum: L R Mild Moderate -	Pediatric Tests:	Expected	Integrat	ion			
Ortolani's Reduction + - Moro + - 2-4 Mo (flex & extension of limbs) Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - 3-4 M	Acoustic blink + -	•	Ū				
Moro + - 2-4 Mo (flex & extension of limbs) Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - 3 -4 M - Palmar + - 3 -4 M - Plantar + - 3 -4 M - Plantar + - + - 3 -4 M Babinski + - + - 3 -9 M Babinski + - + - 12 M Leg Length: L R Mild Moderate - Sacrum: L R Mild Moderate - Sacrul Pump: O: P L A S: P L A (0,5,7,10) Disconnections:							
Placing(0-6w) + - Before Walking Sucking(0-4m) + - 0-4 moths Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R—> arm ex on face side) Light response + - 2 w - 4 m (turn head L & R—> arm ex on face side) Light response + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - 3-4 M Palmar + - 3 M Plantar + - 3 M Plantar + - 4 M Galant + - 12 M Leg Length: L R 0 ½ ¼ ½ ¾ Heel tension: L: N D I R: N D I Sacral Dural Pump: O: P L A S: P L A (0,5,7,10) Disconnections:		2-4	Mo (flex &	extensio	n of lim	ns)	
Sucking (0-4m) + - 0-4 moths Parachute (6m-1yr) + Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration Rooting + - + - 3-4 M Palmar + - + - 3 M Plantar + - + - 3 Piantar + - + - 3 Piantar + - + - Babinski + - + - 12 M			•			,	
Parachute (6m-1yr) + - Absent until 6-10 mo Neck righting + - 0-4 M ATNR + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - STNR + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration	••••			ษ			
Neck righting+ - $0-4 M$ ATNR+ - $2 w - 4 m$ (turn head L & R—> arm ex on face side)Light response+ -STNR+ -STNR+ -Frimitive Reflexes:LRExpected IntegrationPalmar+ -+ - $3-4 M$ Palmar+ -+ - $3 M$ Plantar+ -+ - $3 M$ Plantar+ -+ - $3 M$ Babinski+ -+ - $12 M$ Leg Length:L RL R $0 \frac{1}{8} \frac{1}{4} \frac{1}{2} \frac{3}{4}$ Heel tension:L: N D ISacrum:L RMild ModerateSacral Dural Pump:O: P L ASisconnections:(-1 per)Muscular/Ligamentous Patterns:1 2 3 4 5 6Muscular/Ligamentous Patterns:1 2 3 4 5 6Distormations:(-2 for each)Cranium:Occipital Parietal: L R Temporal: L R Sphenoid: L RSutures:Sagittal Coronal Occipital Parietal LambdoidalPsoas: R LOccipital Fiber: 1 2 3 4 5 6Dollar Crest	•	• • •		-10 mo			
ATNR + - 2 w - 4 m (turn head L & R> arm ex on face side) Light response + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration	· · · ·			-101110			
Light response + - STNR + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration	0 0	-		turn haad			face aide)
STNR + - 5-6 m Prone= Limb flexion, supine= limb extension Primitive Reflexes: L R Expected Integration		Z W ·	- 4 111 (lumneau			lace slue)
Primitive Reflexes: L R Expected Integration	• •	F C .	- Drana-	limah flav		vin o – linch ovet	onoion
Rooting+ -+ - $3-4 M$ Palmar+ -+ - $3 M$ Plantar+ -+ - $8 M$ Galant+ -+ - $8 M$ Galant+ -+ - $12 M$ Leg Length:LR $0 \frac{1}{8} \frac{1}{4} \frac{1}{2} \frac{3}{4}$ Heel tension:L:NDISacrum:LRMild ModerateSacral Dural Pump:O:PLASi:PLAS:PMuscular/Ligamentous Patterns:12345Osseous Subluxations(-1 per)(-1 per)Cranium:Occiput:LRParietal:LCranium:Occiput:LRParietal:LRSutures:SagittalCoronalOccipitalParietalLambdoidal	_				don, sup	one= imb ext	ension
Palmar + - + - 3 M Plantar + - + - 8 M Galant + - + - 3-9 M Babinski + - + - 12 M Leg Length: L R 0 ½ ¼ ½ ¾ Heel tension: L: N D I R: N D I Sacrum: L R Mild Moderate Sacral Dural Pump: O: P L A S: P L A (0,5,7,10) Disconnections:		-		egration			
Plantar + - + - 8 M Galant + - + - 3-9 M Babinski + - + - 12 M Leg Length: L R 0 ½ ¼ ½ ¾ Heel tension: L: N D I R: N D I Sacrum: L R Mild Moderate Sacral Dural Pump: O: P L A S: P L A (0,5,7,10) Disconnections:	0	-					
Galant + - + - 3-9 M Babinski + - + - 12 M Leg Length: L R R L R L R L A Secretary Secretary Muscular/Ligamentous Patterns: 1 2 Secretary Corput: L R L R L R L Corput: L R L R L Secretary Secretary Secretary L Secretary L Secretary							
Babinski + - + - 12 M Leg Length: L R 0 ½ ¼ ½ ¾ Heel tension: L: N D I R: N D Sacrum: L R Mild Moderate							
Leg Length: L R 0 1/8 1/4 1/2 3/4 Heel tension: L: N D I R: N D I Sacrum: L R Mild Moderate Image: Sacral Dural Pump: 0: P L A S: P L A (0,5,7,10) Image: Sacral Dural Pump: Image: Sacral Dural Pump: 0: P L A S: P L A (0,5,7,10) Image: Sacral Dural Pump: Image: Sacral Dural Pump: O: P Image: Sacral Dural Pump: O: P L A S: P L A (0,5,7,10) Image: Sacral Dural Pump: Image: Sacrad Dural Pump: Ima							
Heel tension: L: N D I R: N D I Image: Sacral Sacral Dural Pump: Q: P L A S: P L A (0,5,7,10) Image: Sacral Dural Pump: Q: P L A S: P L A (0,5,7,10) Image: Sacral Dural Pump: Q: Q: </td <td>Babinski +</td> <td>+- 12</td> <td>M</td> <td></td> <td></td> <td></td> <td></td>	Babinski +	+- 12	M				
Sacrum: L R Mild Moderate Sacral Dural Pump: O: P L A S: P L A (0,5,7,10)	0 0		3/4				
Sacral Dural Pump: O: P L A S: P L A (0,5,7,10) Disconnections:							
Disconnections: (-1 per) Muscular/Ligamentous Patterns: 1 2 3 4 5 6 (3,7,10) Osseous Subluxations (-2 for each) (-2 for each) (-2 for each) (-2 for each) Cranium: Occiput: L R Frontal: L R Temporal: L R Sphenoid: L R Sutures: Sagittal Coronal Occipital Parietal Lambdoidal		Moderate					
Muscular/Ligamentous Patterns: 1 2 3 4 5 6 (3,7,10) Osseous Subluxations	-		S: P	LΑ			
Osseous Subluxations (-2 for each) Cranium: Occiput: L R Frontal: L R Parietal: L R Temporal: L R Sphenoid: L R Sutures: Sagittal Coronal Occipital Parietal Lambdoidal Psoas: R L Occipital Fiber: 1 2 3 4 5 6 Dollar Crest						(-1 per)	
Sutures: Sagittal Coronal Occipital Parietal Lambdoidal Psoas: R L Occipital Fiber: 1 2 3 4 5 6 Dollar Crest	0	1 2 3	4	56		(3,7,10)	
Sutures: Sagittal Coronal Occipital Parietal Lambdoidal Psoas: R L Occipital Fiber: 1 2 3 4 5 6 Dollar Crest	Osseous Subluxations					(-2 for each)	
Sutures: Sagittal Coronal Occipital Parietal Lambdoidal Psoas: R L Occipital Fiber: 1 2 3 4 5 6 Dollar Crest	Cranium: Occiput: L R Frontal: L	R Parie	tal: L R	Tempora	al:LR	Sphenoid: L	R
-	Sutures: Sagittal Coronal Occipi	ital Parieta	al Lamb	doidal			
-	Psoas: R L Occipital Fiber: 1	23	4 5	6 D	ollar	Crest	
	Notes:						
		· · · · · · · · · · · · · · ·					

----- FOR OFFICE USE ONLY ------