

PED NEW MEMBER HEALTH SURVEY

Child's Name		Sex: □ M □ F	DOB/	_/ Age
Parent's Name				
Address	City	S	State	zip
E-mail@_	c	om Phone		
Sibling's Name & Age(s)				
How did you find our office?				
Your genes are not your destiny; your of the sexperiences affect your child's photographic this experience was too much for your sy symptoms. Please fill the form out to the	biography beconstions that give us monysiology and directly ies; physical (traumantstem to handle it loc	nes your biology. The information about y affect their physical, n), mental/emotional/sp ks down as a tonal shi	your child's pa nental, emotio piritual (though ift (tension) w	ast and present experiences onal and spiritual wellbeing. hts) and chemical (toxins). I which can lead to a variety o
CHILDS HISTORY - Your story starts with very stressful on mom but also on baby. Was this birth planned? □ Y □ N Were ferti		•		·
Did mom use any of the following during pro	egnancy: 🛭 Tobacco	☐ Alcohol ☐ Medication	ons	Drugs
Did any occur during pregnancy: ☐ Falls of	r Injuries 🗅 Abuse (p	hysical, sexual, emotic	onal) 🗖 Comp	olications
Please describe your stress level during th	is pregnancy			
CHILD'S BIRTH HISTORY Where did you give birth:				
At What Week of Pregnancy Was Your Bak				
Were you happy with your birth providers?				
Baby's Position at time of Delivery: ☐ Hea Birthing Position: ☐ On Back with Feet up				
Was baby's birth: ☐ Vaginal without assista ☐ C- Section ☐ Induced labor prior to ☐ Ruptured Membranes ☐ Pain Me	natural contractions	☐ Acupuncture Induc	ced 🖵 Cytote	ec 🖵 Epidural
How Long was Labor?	How long was deliv	ery (pushing)?		_
Baby's APGAR Scores:	_ Any Visible Injury	o Baby? ☐ Y ☐ N _		
Did you: Do Skin to Skin ☐ Y ☐ N (how sometimes Delay Cord Clamping ☐ Y ☐ N (how low was baby separated ☐ Y ☐ N (how low was baby circumcised? ☐ Y ☐ N when	ong) Uniong) Did	nterrupted family time loaby latch right away?	□ Y □ N (ho	now long)
Any evidence of trauma during birth: ☐ Brui	•			· · ·
Complications during birth				
APGAR at Birth APGAR after				
The birth was				

PHYSICAL STRESSORS (other) Any Lip or Tongue Tie: ☐ Y ☐ N Who did revision & When? Surgery (& year performed): Accidents: Falls: Sports (past & present): Gait: ☐ Toe Walking ☐ Bow legged ☐ Turned in ☐ Scooting ☐ Army Crawl ☐ Hip Dysplasia ☐ Club Foot Sensory: ☐ Sensory seeking ☐ Sensitive to Stimuli ☐ Attentive to only some stimuli ___ ☐ Side preference **PSYCHOLOGICAL STRESSORS** Any difficulties with nursing? \square Y \square N ______ Any problems bonding? \square Y \square N _____ Was your child breast fed? ☐ Y ☐ N How Long? Pain / Clicking / Breast refusal Does your child feed: ☐ On both sides equally ☐ On Schedule ☐ On Demand Does your child have any behavioral problems? \(\begin{aligned} Y \bigcup N \end{aligned}\) Does your child have difficulty sleeping/ night terrors/ bed wetting? □ Y □ N Bowel movements: _____ X per day Consistency____ Recent Changes _____ How has/was Mom's healing postpartum? How long is/was Maternity Leave? _____ Do/Did you have assistance with baby? □ Y □ N CHEMICAL STRESSORS- Anything inhaled, ingested or absorbed Formula: \square Y \square N Brand: _____ How much: _____ When was the introduction of food? _____ What were first foods? _____ Medications (type & reason): Allergies? □Y □ N Please list with reaction Vaccine History: ☐ Full CDC ☐ Selective schedule ☐ Delayed schedule ☐ None **CURRENT HEALTH CONCERNS** What is the reason for this reservation? When did this begin?__ Have they had this before? Why do you think this is occurring?_____ Is there any other issue/secondary condition that you believe is related to this? Have you gotten any other advice or treatment for this issue? (if yes than from who and what was result) What activities aggravate your condition? _____ What activities relieve your condition? Is the condition worse during certain times of the day? Y N If yes, when? Concerns with Menstrual Cycle? ☐ Y ☐N Does it affect: ☐ Mood, patience, attitude ☐ Sleep ☐ exercise or play ☐ day-to-day activities ☐ Ability to work ☐ decision making ☐ relationship or intimacy Have you been to a chiropractor? □ Y □ N Has your child been to a chiropractor before? □ Y □ N What are your healthcare goals?

DEVELOPMENTAL MILESTONES-

Age	Milestone	Not Met	Met	Delayed by	Age	Milestone	Not Met	Met	Delayed by
1 Month	Fist Clench				8 Months	Sits Unaided			
2 Months	Smiles				1	Plays with Hands			
	Hands Open				1	2 Syllable word "dada"			
	Cooing				9 Months	Pulls to Stand			
3 Months	Head Control				1	Shows Joy/ Displeasure			
	Opens Mouth				12 Months	Crawling			
4 Months	Laughs				1	Pull to stand			
	Looks at object in hand				1	Walk with support			
5 Months	Back to Stomach					Finger Feeds			
6 Months	Sits Alone				15 Months	Walks Alone			
	1 Syllable word "da"]	Says 4-5 Words			
	Reaches]	Indicates Wants			
	Roll Over				1	Names objects			

SECONDARY CONDITIONS- Please mark any secondary condition (symptom/diagnosis) that you currently have

or hav enviro	e had nment	in the past. Secondary conditions are a	result of your b	ody c	compensating or adapting to	your
Past	Now		Past	Now	ı	
		ADD/ADHD			Hand/Wrist Concerns	
		Asthma/ Respiratory Issues			Headaches	
		Athletic Injuries			Growing Pains	
		Autism Spectrum			Learning Difficulties	
		Bed Wetting			Insomnia	
		Behavior Issues			Knee/Hip Issues	
		Bowel/Bladder Changes			Plagiocephaly	
		Broken Bone			Neck Pain	
		Cancer			Reflux	
		Colic			Scoliosis	
		Concussion/ Head Injury			Seizures	
		Dental/Jaw issues			Skin Conditions	
		Depression			Sinus Problem/ Allergies	
		Digestive Issues			Surgery	
		Dizziness/Vertigo			Tongue/ Lip Tie	
		Ear Infections			Thyroid Disorder	
		Eye/Vision Issues			Weight Changes	
		Frequent Cold/Flu			Other	
YOUR	CHIL	D'S HEALTHCARE TEAM (PRIMARY	CARE, THERA	PIST	S, SPECIALISTS ECT)	
Provid	der Na	ame Provider Type	Last V	/isit	Reason	Result
Patien	t Signa	ature Computer initial			Date	
⊏ntere	u mo	Computer initial				

PEDIATRIC ASSESSMENT

	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) R) R) R) R) R) Ride of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) R) R) R) R) R) Ride of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) R) R) R) Ride of lateral allesion→ occipulation ft (-1) L R pected Integrated	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) R) R) Ride of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) R) Ride of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) R) ide of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (flex Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) R) ide of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
R) ide of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (flex Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
ide of lateral a lesion→ occipu ft (-1) L R pected Integr 2-4 Mo (fleat Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
ft (-1) L R pected Integr 2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	Turn ration x & extending il 6-10 m	rn (-3) L ension of	R	
2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	ration x & exte king il 6-10 m	ension of		
2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	x & exte king il 6-10 n		limbs)	
2-4 Mo (fle: Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	x & exte king il 6-10 n		limbs)	
Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	king il 6-10 n		limbs)	
Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	king il 6-10 n		limbs)	
Before Wal 0-4 moths Absent unti 0-4 M 2 w - 4 m	king il 6-10 n		,	
0-4 moths Absent unti 0-4 M 2 w - 4 m	il 6-10 m	no		
Absent unti 0-4 M 2 w - 4 m		no		
0-4 M 2 w - 4 m				
2 w - 4 m	(turn h			
		head L &	R—> arm ex	on face side)
5-6 m Prop	`			
U-U III I IU II	e= Limb	o flexion.	supine= limb	extension
Expected				
3-4 M				
3 M				
8 M				
3-9 M				
12 M				
1/2 3/4				
	P L	Α	(0,5,7,1	0)
			(-1 po	•
2 3 4	5 6	3	(3,7,	
			(-2 for ea	
Parietal: L F	R Tem	nporal: L		
		-	·	
			aura	Dr. Madi
6	2 3 4 Parietal: L F Parietal Lar	erate S: P L 2 3 4 5 6 Parietal: L R Ten	S: P L A 2 3 4 5 6 Parietal: L R Temporal: L Parietal Lambdoidal	erate

----- TO BE COMPLETED BY DOCTOR -----